

**#24822****3/4" x 3/4" x 1/8" Mini Flap Wheel**

Access and finish small and intricate openings and contours. Flexible flaps conform to acute angles and wear uniformly for consistent parts finishing. Ideal for reshaping or cleaning intricate cast parts.

**Specifications**

|                                  |                |
|----------------------------------|----------------|
| <b>Diameter</b>                  | 3/4"           |
| <b>Width</b>                     | 3/4"           |
| <b>Shank Diameter</b>            | 1/8"           |
| <b>Shape</b>                     | Mini           |
| <b>Max RPM</b>                   | 38,100         |
| <b>Opt RPM</b>                   | 19,000         |
| <b>Brand</b>                     | SHUR-KUT™      |
| <b>Material Type</b>             | Coated         |
| <b>Abrasive Grain</b>            | Aluminum Oxide |
| <b>Color Family</b>              | Brown          |
| <b>Backing Type</b>              | Cloth          |
| <b>Backing Material</b>          | Cotton         |
| <b>Backing Weight</b>            | X-Wt.          |
| <b>Bond Type</b>                 | Resin/Resin    |
| <b>Grain Coverage</b>            | Closed Coat    |
| <b>Mounting</b>                  | Shank Mounted  |
| <b>Product Form</b>              | Flap Wheel     |
| <b>Grit</b>                      | 120            |
| <b>Standard Package Quantity</b> | 10             |
| <b>Stock Status</b>              | Stock          |

**Features / Applications**

Flexible flaps are arranged radially around a center core allowing high removal and finishing rates with reduced pressure and fatigue from operators. The flexibility of the flaps allows excellent control and conformability on contours and inside or around intricate parts. As the grains wear away, so does the cloth backing, continually exposing fresh abrasive material and sharp cutting grains. The variety of shapes and sizes available provide versatility in grinding, deburring and polishing flat or contoured surfaces and edges. Several mounting options are available for many tools, including right angle grinders.

**Features**

Easily access small openings or channels  
Continual grain exposure throughout product life  
Flexibility to contours and intricate parts

**Additional Information****Proposition 65 Warning Statement**WARNING: Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)