

**#39266**  
**3" Type R Mini Flex Disc**

Compressible flaps extend outward to conform and reach small areas and run against inside corners. Durable use on ferrous, non-ferrous, stainless steels, alloys and non-metallics. Ideal for mild steels and aluminum.

**Specifications**

<b>Diameter</b>	3"
<b>Button Type</b>	Type R
<b>Max RPM</b>	20,000
<b>Opt RPM</b>	9,000
<b>Brand</b>	SHUR-KUT™
<b>Material Type</b>	Coated
<b>Abrasive Grain</b>	Aluminum Oxide
<b>Color Family</b>	Maroon
<b>Backing Type</b>	Fiber
<b>Bond Type</b>	Resin/Resin
<b>Grain Coverage</b>	Closed Coat
<b>Product Form</b>	Flap Disc
<b>Grit</b>	36
<b>Standard Package Quantity</b>	10
<b>Stock Status</b>	Non-Stock

**Features / Applications**

Overlapping layers of coated abrasives wear down to expose new cutting surfaces, allowing extended use of flap discs and much more control and comfort than rigid grinding wheels. The profile of flap discs, either flat faced (Type 27) or angle faced (Type 29) controls the amount of leverage applied to surfaces. Type 27 flap discs are better for finesse and extended use, whereas Type 29 discs are much more aggressive. Standard density discs provide less flap compression, best suited for stock removal and rough shaping. High density discs utilize more flaps, prolonging life, and are less compressed, allowing limited conformability to the workpiece.

**Features**

General purpose grinding and blending  
Flap overhang reaches small areas  
Conformable and controllable  
Quick change functionality for die grinders

**Additional Information****Proposition 65 Warning Statement**WARNING: Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)