

**#46204****8" x 1" x 3" Unmounted Flap Brush**

Used for stationary operations, larger diameter wheels have longer flaps, resulting in flexibility and conformability. The larger surface area of unmounted wheels is also ideal for large or flat surfaces, reducing finishing time.

**Specifications**

|                                  |                 |
|----------------------------------|-----------------|
| <b>Diameter</b>                  | 8"              |
| <b>Width</b>                     | 1"              |
| <b>Arbor Diameter</b>            | 3"              |
| <b>Max RPM</b>                   | 3,200           |
| <b>Opt RPM</b>                   | 1,500           |
| <b>Brand</b>                     | SHUR-BRITE™     |
| <b>Material Type</b>             | Nonwoven        |
| <b>Nonwoven Class</b>            | Heavy Duty      |
| <b>Nonwoven Category</b>         | Satin Finishing |
| <b>Abrasive Grain</b>            | Silicon Carbide |
| <b>Mounting</b>                  | Unmounted       |
| <b>Product Form</b>              | Flap Brush      |
| <b>Grade</b>                     | MED             |
| <b>Standard Package Quantity</b> | 3               |
| <b>Stock Status</b>              | Non-Stock       |

**Features / Applications**

Flexible satin flaps conform to contoured surfaces without altering part geometry or damaging intricate features. Densely arranged flaps provide continuous cutting action throughout life, while resisting heat and loading. Shank and arbor mounted wheels are available depending on size and shape of workpieces or surface area.

**Features**

Clean, finish or deburr extruded or machined parts  
Quickly deburr large pipe threads  
Repair or blend linear finishes on stainless steel  
Conformability for intricate parts

**Additional Information****Proposition 65 Warning Statement**

WARNING: Cancer and Reproductive Harm -  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)