

**#60204**
2" x 8-32 Satin Cross Buff

The structure of Satin Finishing materials provides cutting action from all directions, allowing stars to work well in tubes, concave areas or around tight angles. Multiple plies create more surface area to conform and flex while pushed or pulled through inside diameters.

Specifications

| | |
|----------------------------------|-----------------|
| Diameter | 2" |
| Ply | 3 |
| Threaded Eyelet | 8-32 |
| Max RPM | 20,000 |
| Brand | SHUR-BRITE™ |
| Material Type | Nonwoven |
| Nonwoven Class | High Strength |
| Nonwoven Category | Satin Finishing |
| Abrasive Grain | Aluminum Oxide |
| Product Form | Cross Buff |
| Grade | VFN |
| Standard Package Quantity | 50 |
| Stock Status | Stock |

Features / Applications

The structure of Satin Finishing materials provides cutting action from all directions, allowing stars to work well in tubes, concave areas or around tight angles. Multiple plies create more surface area to conform and flex while pushed or pulled through inside diameters.

Features

Clean or polish tube, pipe or cylindrical parts
Easily reach around or under flanges
Deburr cut tube or drilled holes
Lightly chamfer recessed areas

Additional Information**Proposition 65 Warning Statement**

WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov