


SHUR-KUT® Coated

Belts

Due to the size range of coated belts, applications range from small inside corner weld removal to coil and sheet steel surface finishing. The availability of backing weight and flexibility allows use with small airfile contact wheels to larger diameter drum or cylindrical grinding. Durability also prevents stretch or slack in backstand applications, allowing coated materials to perform properly with consistent wear.

Applications

- ▶ High production processing and polishing
- ▶ Flat surface prep and leveling
- ▶ Weld removal and blending
- ▶ Cylindrical grinding and polishing
- ▶ Surface cleaning or corrosion removal



CA CERAMIC GRINDING AID BELTS



Self-sharpening grains continually produce fresh cutting points, reducing friction and prolonging cut rates under lighter pressure. Additional grinding aid further reduces heat, extending belt life.

- ▶ Additional heat dissipation for high temperature grinding
- ▶ Sharp grains cut through stainless steel and alloys
- ▶ Extended life and grain retention

Width	Length	Std. Pkg.	40	60	80	120
1/2"	24"	50	52426	47679	49125	49054
3/4"	18"	50	52427	49269	52428	52429
3/4"	20-1/2"	50	51150	49128	49129	52430
1"	42"	50	52431	50433	52432	52433
2"	48"	50	52434	52435	52436	52437
2-1/2"	60"	50	52438	52439	52440	52441
3"	132"	50	52442	51042	51541	52443
6"	48"	10	52444	49154	51726	52445

● Ferrous ● Non-Ferrous ● Stainless ● Exotic Alloys ○ Plastics ○ Composites

ZA ZIRCONIA GRINDING AID BELTS



Tough, durable grains for extended life on high pressure applications. Continually sharp cutting surfaces provide excellent cut in finishing and polishing applications. Additional grinding aid to reduce friction and premature breakdown where heat generation is of concern.

- ▶ Aggressive, sharp cut on stainless steel
- ▶ Dissipates heat and resists loading
- ▶ Extended performance and stock removal
- ▶ Fresh cutting edges exposed during use

Width	Length	Std. Pkg.	40	60	80	120
1/2"	24"	50	28346	27445	28347	28349
3/4"	18"	50	30500	27500	27473	52421
3/4"	20-1/2"	50	36794	28097	36795	36796
1"	42"	50	30505	30506	30507	30510
2"	48"	50	52422	30512	27107	30513
2-1/2"	60"	50	52423	30522	30523	52424
3"	132"	50	22400	26232	32003	52425
6"	48"	10	32009	32062	18912	32063

● Ferrous ● Non-Ferrous ● Stainless ● Exotic Alloys ○ Plastics ○ Composites

Ao ALUMINUM OXIDE BELTS



Dense, blocky grain well suited for general purpose grinding and stock removal. Airfile belts easily reach narrow areas inaccessible by discs or wheels. Durable use on ferrous, non-ferrous, stainless steels, alloys and non-metallics.

- ▶ General stock removal and shaping
- ▶ Cylindrical shaping or conditioning
- ▶ Inside corner weld removal
- ▶ Deburring handheld parts



Width	Length	Std. Pkg.	36	40	50	60	80	100	120	180
3/8"	13"	50 (*200)	10667*	10668*	10669*	10670	10671	10672*	10673*	10674*
1/2"	12"	50 (*200)	10675*	10676*	10677*	10678	10679	10680*	10681	10682*
1/2"	18"	50 (*200)	14384*	14385*	14386*	14387	14388	14389*	14390	14392*
1/2"	24"	50 (*200)	10683	10684	10685*	10686	10687	10688*	10689	10690*
3/4"	18"	50 (*200)	10691	10692	10693*	10694	10695	10696*	10697	10698*
3/4"	20-1/2"	50 (*200)	10699*	10700*	10701*	10702	10703	10704*	10705*	10706*
1"	42"	100 (*200)	10735*	43834*	10737*	43835	43836	43837*	43838*	43839*
1-1/8"	21"	50	10744	10745	10746	10747	10748	10749	10750	28224
1-1/2"	60"	50	10753	10754	10755	10756	10757	10758	10759	10760
1-1/2"	72"	50	10762	10763	10764	10765	10766	10767	10768	28104
2"	20"	50	10771	10772	10773	10774	10775	10776	10777	10778
2"	48"	50	10780	10781	10782	10783	10784	10785	10786	10787
2"	60"	50	10789	10790	10791	10792	10793	10794	10795	10796
2"	132"	50	10807	10808	10809	10810	10811	10812	10813	10814
2-1/2"	48"	50	10816	10817	10818	10819	10820	10821	10822	27734
2-1/2"	60"	50	10825	10826	10827	10828	10829	10830	10831	10832
2-1/2"	72"	50	10834	10835	10836	10837	10838	10839	10840	10841
3"	18"	50	10843	10844	10845	10846	10847	10848	10849	10850
3"	60"	50	10870	10871	10872	10873	10874	10875	10876	10877
3"	72"	50	10879	10880	10881	10882	10883	34898	10884	10886
3"	90"	50	10888	10889	10890	10891	10892	10893	10894	10895
3"	132"	50	10897	10898	10899	10900	10901	10902	10903	10904
3"	168"	50	10906	10907	10908	10909	10910	10911	10912	28161
3-1/2"	15-1/2"	50	10915	10916	10917	10918	10919	10920	10921	10922
4"	21"	50	10924	10925	10926	10927	10928	10929	10930	20977
4"	21-3/4"	50	10933	10934	10935	10936	10937	10938	10939	10940
4"	54"	50	10960	10961	10962	10963	10964	10965	10966	10967
6"	48"	20	43840	43841	43842	43843	43844	43845	43846	11039

● Ferrous ● Non-Ferrous ● Stainless ○ Exotic Alloys ○ Plastics ○ Composites

A_o ALUMINUM OXIDE WIDE BELTS

Wide belts fit a wide range of stationary equipment for high production processing. Greater surface area and longer life with consistent finishing qualities. Dense, blocky grain well suited for general purpose grinding and stock removal. Durable use on ferrous, non-ferrous, stainless steels, alloys and non-metallics.

- ▶ Aggressive, general purpose cutting action
- ▶ Leveling surface imperfections
- ▶ High production grinding or polishing



Width	Length	Std. Pkg.	36	40	50	60	80	100	120	180
18"	85"	5	24353	24354	24355	24356	24357	24358	24359	24360
19"	48"	5	26100	38436	38437	38438	21357	37938	25289	28254
25"	60"	5	24379	24380	24381	24382	24383	24384	24385	24386
25"	75"	5	24391	24392	24393	24164	24394	24395	24165	24396
30"	103"	5	24398	24399	24400	24401	24402	24403	21681	24404
36"	60"	5	24406	24407	24408	24409	24410	24411	24412	24413
36"	75"	5	24417	24418	24419	24420	18704	24421	24422	24423
37"	60"	5	24425	22886	17150	21649	17151	16723	30361	22888
37"	75"	5	24427	24428	24429	18975	18676	24430	24167	24168
50"	103"	5	24432	24433	24434	24435	24436	24437	24438	24439
52"	75"	5	24441	24442	24443	24444	24445	24446	24447	24448
52"	103"	5	24459	24460	24461	24462	24463	24464	24465	24466

● Ferrous ● Non-Ferrous ● Stainless ○ Exotic Alloys ○ Plastics ○ Composites